

SAFETY DATA SHEET

MOL-LUB Ltd.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC

Trade name: **AdBlue[®] NO_x-reduction additive**

Version: 6

Latest revision: 31. 07. 2013

Date of issue: 26. 09. 2006

Page: 1/(12)

1. Identification of the mixture and of the company/undertaking

1.1 Product identifier:

AdBlue[®] NO_x-reduction additive

1.2 Relevant identified uses of the mixture and uses advised against

Relevant identified uses: additive, in motor vehicles with diesel engine

Uses advised against: no data

1.3 Details of the supplier of the safety data sheet:

MOL-LUB Lubricant Production Trade and Service Limited Liability Company

H-2931 Almásfüzitő, Fő út 21., Hungary

Phone / Fax: +36 34 526 330 / +36 34 526 391

Request SDS of:

MOL-LUB Lubricant Production Trade and Service Limited Liability Company

Customer Service Center

H-2931 Almásfüzitő, Fő út 21., Hungary

Phone / Fax: +36 80 201 296 / +36 34 348 010

Responsible for SDS:

MOL-LUB Ltd. Csaba Horváth, head of SD and HSE

Phone: +36 34 526 343; Mobile: +36 20 474 2644

e-mail: csahorvath@mol.hu

Technical information:

MOL-LUB Ltd. Product Development and Technical Service

H-1117 Budapest, Október huszonharmadika utca 18., Hungary

Phone/Fax: +36 80 201 296 or +36 1 464 0236 / +36 1 464 0304

1.4 Emergency telephone number

Emergency telephone (07-15²⁰ h): +36 34 526 210 (CET) on workdays

Health Toxicological Information Service (ETTSZ 1096 Budapest, Nagyvárad tér 2.)

Tel.: +36 1 476 6464, or +36 80 201 199

National Health Toxicological Information Service:

SAFETY DATA SHEET

MOL-LUB Ltd.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC

Trade name: **AdBlue[®] NO_x-reduction additive**

Version: 6 Latest revision: 31. 07. 2013 Date of issue: 26. 09. 2006 Page: 2/(12)

2. Hazards identification

2.1 Classification of the mixture

2.1.1 Classification of the mixture according to regulation 1272/2008/EC

Hazard Class and Category: Hazard statement:

- -

2.1.2 Classification of the substance according to regulation 1999/45/EC

Human health hazards: Danger symbol not required.

Note: Prolonged and/or repeated contact may cause irritation skin and/or eye, depending on individual sensitivity (see also Protective equipment).
May cause irritation and burns of the airways.

Safety hazards: Danger symbol not required.

Environmental hazards: Danger symbol not required.

2.2 Classification of the substance according to regulation 1999/45/EC

Product identification:

Trade name: **AdBlue[®] NO_x-reduction additive**

GHS Pictogram: -

Signal word: -

Hazard statement:

not required

Precautionary statements - Prevention

P273 Avoid release to the environment.

Precautionary statements - Disposal

P501 Dispose of contents/container in accordance with national regulation.

Other liabilities for labelling:

Tactile warning of danger: not required

Transport classification: see section 14.

2.3 Other hazards

No data available

SAFETY DATA SHEET

MOL-LUB Ltd.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC

Trade name: **AdBlue[®] NO_x-reduction additive**

Version: 6 Latest revision: 31. 07. 2013 Date of issue: 26. 09. 2006 Page: 3/(12)

3. Composition/information on ingredients

3.1 Mixtures

Chemical description: Water solution of urea.

Ingredients:

Name	EINECS number	CAS number	Hazard symbol / Hazard classes and cat.	Risk phrase / Hazard statements	Conc. % (m/m)
Carbonic acid diamide	200-315-5	57-13-6	67/548/EEC: not listed 1272/2008/EC: not listed	-	max. 32.5

4. First aid measures

4.1 Description of first aid measures

General information: Never give anything by mouth to an unconscious person, or never induce vomiting.

Inhalation: Remove the affected person to fresh air. If rapid recovery does not occur, obtain medical attention.

Skin contact: Wash skin with large amounts of water, use soap.

Eye contact: Flush eyes with plenty of water for 10-15 minutes. If irritation persists, obtain medical attention.

Ingestion: Do not induce vomiting, drink a small amount of clean water (room temperature, up to 2 dl for an adult).

4.2 Most important symptoms and effects, both acute and delayed

No data.

4.3 Indication of any immediate medical attention and special treatment need

Not required.

SAFETY DATA SHEET

MOL-LUB Ltd.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC

Trade name: **AdBlue® NO_x-reduction additive**

Version: 6

Latest revision: 31. 07. 2013

Date of issue: 26. 09. 2006

Page: 4/(12)

5. Fire-fighting measures

Fire hazards:

Urea solution is not flammable.

5.1 Extinguishing media

Suitable extinguishing media:

According to burning environment.

Unsuitable extinguishing media:

No data.

5.2 Special hazards arising from the mixture

Hazardous combustion products:

No dangerous decomposition products are formed under normal conditions. Heating above 75 °C causes thermal decomposition and the formation of gases: CO₂, NH₃, NO_x.

5.3 Advice for fire-fighters

Special protective equipment:

According to the existing fire-fighting regulations.

Further information:

Collect contaminated fire fighting water separately. It must not enter the sewage system.

Contaminated extinguishing water must be disposed of in accordance with official regulations.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions: see Section 8.

6.2 Environmental precautions:

Prevent spills from entering into natural water, soil and drains by containing the liquid.

Notify relevant authority.

6.3 Methods and material for containment and cleaning up

On soil: Rinse the given area immediately with water. Dispose of according to local regulations. According to size and character of the contamination, use the spilled product for agricultural purposes or dispose of in a controlled way (waste-water treatment plant).

On water: Notify local authorities according to regulations.

SAFETY DATA SHEET

MOL-LUB Ltd.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC

Trade name: **AdBlue[®] NO_x-reduction additive**

Version: 6

Latest revision: 31. 07. 2013

Date of issue: 26. 09. 2006

Page: 5/(12)

6.4 Reference to other sections

Personal precautions: see section 8.

Waste treatment methods: see section 13.

7. Handling and storage

7.1 Precautions for safe handling

Keep general measures applied for normal operations with chemicals.

Adequate ventilation required.

Avoid contact with skin and eyes, inhalation of vapours.

Ensure washing facilities after working hours and before breaks. Take off contaminated clothing, wash with warm water and soap.

Handling temperature: no data

7.2 Conditions for safe storage, including any incompatibilities

Keep general measures applied for normal operations with chemicals.

The producer dispatches the urea solution with a temperature up to max. 30°C.

Transported in insulated tank trucks or palletized plastic tanks (IBC).

Materials suitable for these tanks are alloy steels, various plastics, as well as metal tanks with plastic coating.

Plain steels, copper, aluminium, alloys containing copper and aluminium, galvanized steels must not be used.

Requirements for materials to be used in direct contact with the product : in AUS 32 (CEFIC) Quality Assurance Guidance Document.

In order to avoid crystallization or hydrolysis in the urea solution, store under common conditions (optimally to 25°C).

Retail package in canisters with a volume of max. 15 l.

7.3 Specific end use(s)

Additive, in motor vehicles with diesel engine.

8. Exposure controls / personal protection

Engineering control measures:

Adequate ventilation.

SAFETY DATA SHEET

MOL-LUB Ltd.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC

Trade name: **AdBlue® NO_x-reduction additive**

Version: 6

Latest revision: 31. 07. 2013

Date of issue: 26. 09. 2006

Page: 6/(12)

8.1 Control parameters:

EU (2000/39/EC):

Ammonia: 14 mg/m³ (eight-hours time-weighted average)
36 mg/m³ (short-term)

8.2 Exposure controls

Personal protection:

Respiratory protection: Under normal use conditions, respirator is not usually required. Use effective respirator, mask with ammonia-proof liter.

Hand protection: Protective gloves (chemical resistant) (EN 374).
Note: Manufacturer's directions for use and the conditions of application should be observed.

Eye protection: Protective goggles (EN 166).

Skin protection: Protective clothing.

Other special: No data.

Environmental exposure controls:

Do not discharge into drains/surface waters/groundwater.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance:

Physical state: liquid
Colour: colourless, clear liquid
Odour: slight ammonia scent

Change in physical state:

Crystallization point: typ. -11.5°C

Others:

Flash point : not applicable
Ignition point : not available
Thermal conductivity (at 25°C): cca 0.57 W/m.K
Explosive properties: not explosive
Oxidizing properties: not available
Specific heat (at 25°C): cca 3.4 kJ/kg.K
Density (at 20°C): 1087 – 1093 kg/m³
Solubility in water: soluble

SAFETY DATA SHEET

MOL-LUB Ltd.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC

Trade name: **AdBlue® NO_x-reduction additive**

Version: 6 Latest revision: 31. 07. 2013 Date of issue: 26. 09. 2006 Page: 7/(12)

n-Octanol/water partition coefficient:	not available
Viscosity (at 25°C):	cca 1.4 mPa.s
Surface tension:	min. 65 mN/m
Molecular weight:	60.06 kg/kmol
Refractive index at 20°C:	1.3814 – 1.3843
pH value of a 10 %-water solution:	max. 10

9.2 Other information
no data available

10. Stability and reactivity

- 10.1 Reactivity: Dangerous reactivity not known.
- 10.2 Chemical stability: No decomposition if stored and handled properly.
- 10.3 Possibility of hazardous reactions: Not known.
- 10.4 Conditions to avoid: Elevated temperatures.
- 10.5 Incompatible materials: No data.
- 10.6 Hazardous decomposition products: No dangerous decomposition products are formed under normal conditions. Heating above 75 °C causes thermal decomposition and the formation of gases: CO₂, NH₃, NO_x.
Hazardous combustion products: See Section 5.

Note:

11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity: No data for the product.

Oral: LD₅₀ (rat): > 2000 mg/kg

Dermal: no data

Acute toxicity: irritation

Skin contact: not irritant

Eye contact: not irritant

Note: Prolonged and/or repeated contact may cause irritation skin and/or eye, depending on individual sensitivity.

Decomposition gases may cause irritation in the respiration tract.

Ingestion: Swallowing a large amount may cause digestion disorders.

Respiratory or skin sensitisation: not sensitising

SAFETY DATA SHEET

MOL-LUB Ltd.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC

Trade name: **AdBlue® NO_x-reduction additive**

Version: 6

Latest revision: 31. 07. 2013

Date of issue: 26. 09. 2006

Page: 8/(12)

Chronic toxicity: not known

Repeated dose toxicity: not known

Other information, specific effects:

Carcinogen effect: not known, resp. not carcinogen (based on components)

Mutagen effect: not known, resp. not mutagen (based on components)

Reproduction-damaging effect: not known, resp. no reproduction-damaging effect (based on components)

12. Ecological information

- 12.1 Toxicity No data available for the preparation.
Aquatic organisms:
Soil organisms:
Plants:
- 12.2 Persistence and degradability
Biodegradability: Substantial biodegradation in water and soil.
- 12.3 Bioaccumulative potential Accumulation in organisms is not to be expected.
- 12.4 Mobility
Mobility in soil: Substantial biodegradation in soil.
Mobility in water: Soluble in water.
- 12.5 Results of PBT and vPvB assessment Not required.
- 12.6 Other adverse effects
Biological oxygen demand: No data.
Chemical oxygen demand: No data.
Heavy metal content: None.
PCT, PCB and other chlorinated hydrocarbons: None.
Environmental effects: Contamination of water by a large amount may occur adverse affects on the aquatic environment because of high consumption of oxygen.
- Water hazard class (German):

SAFETY DATA SHEET

MOL-LUB Ltd.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC

Trade name: **AdBlue® NO_x-reduction additive**

Version: 6

Latest revision: 31. 07. 2013

Date of issue: 26. 09. 2006

Page: 9/(12)

13. Disposal considerations

13.1 Waste treatment methods

Product disposal:

Wastes of the product or used oil should be treated as hazardous waste.

EWC cod: 16 05 09

Discarded chemicals.

EWC cod: 06 10 99

Wastes not otherwise specified.

Dependent on size and character of the contamination the using for agricultural purposes is possible.

Disposal must be in compliance with national and local regulations.

Recommended waste treatment method: incineration

Packaging disposal:

Containers with product residue should also be treated as hazardous waste according to national and local disposal regulations.

EWC cod: 15 01 02

Plastic packaging.

Note: Empty containers can be reused after cleaning with water.

Disposal must be in compliance with national and local regulations.

Wastewater:

Quality of wastewater emitted to natural water must comply with national and local regulations.

Care should be taken in any case to ensure compliance with EC, national and local regulations. It is the responsibility of the user to know all relevant national and local regulations.

14. Transport information

Land transport:

Road/ Railway

ADR/RID:

Not classified.

Waterways:

Inland waterways/ Sea transport ADN/IMDG:

Not classified.

Air transport: ICAO / IATA:

Not classified.

SAFETY DATA SHEET

MOL-LUB Ltd.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC

Trade name: **AdBlue® NO_x-reduction additive**

Version: 6

Latest revision: 31. 07. 2013

Date of issue: 26. 09. 2006

Page: 10/(12)

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the mixture.

This safety data sheet has been prepared according to Regulation 1907/2006/EC (mod.: 453/2010/EC) and to Regulation 1272/2008/EC.

15.2 Chemical safety assessment.

not available

16. Other information

The information given in this data sheet is based on our best knowledge at the time of publication. The information is related only to this product and is intended to assist its safe transport, handling and use. The given physical and chemical parameters describe the product only for the purpose of safety requirements and therefore should not be construed as guaranteeing any specific property of the product or as being part of a product specification or any contract.

The manufacturer or supplier shall not take responsibility for any damages from the use other than recommended or other misuse of the product. It is the responsibility of the user to keep regulatory precautions and observe recommendations for safe use of the product.

Source of data presented in this material safety data sheet:

Test results of this product

Material safety data sheets of product's components

Hungarian and EU lists of dangerous substances

Relevant Hungarian regulation and EU directives

The full text of each relevant Hazard classes and cat., R- and H- phrase in Section 3.:

-

Legend:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration Factor
BOD	Biological Oxygen Demand
Bw	Body Weight
C&L	Classification and Labeling
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging (1272/2008/EC)
CMR	Carcinogenic, Mutagenic or toxic to Reproduction
COD	Chemical Oxygen Demand

SAFETY DATA SHEET

MOL-LUB Ltd.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC

Trade name: **AdBlue® NO_x-reduction additive**

Version: 6

Latest revision: 31. 07. 2013

Date of issue: 26. 09. 2006

Page: 11/(12)

CSA	Chemical Safety Assessment
CSR	Chemical Safety Report
DMEL	Derived Minimal Effect Level
DNEL	Derived No Effect Level
ECHA	European Chemicals Agency
Ec _x	Effective Concentration x%
ErC50	EC50 in terms of reduction of growth rate
Ed _x	Effective Dose x%
EC	European Community
EC number	European Community number
ELINCS	European List of Notified Chemical Substances
ES	Exposure Scenario
ESIS	European Chemical Substances Information System
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC _x	Lethal Concentration x%
LD _x	Lethal Dose x%) Halálos dózis x%
LOAEC	Lowest Observed Adverse Effect Concentration
LOAEL	Lowest Observed Adverse Effect Level
LOEC	Lowest Observed Effect Concentration
LOEL	Lowest Observed Effect Level
NOEC	No observed effect concentration
NOEL	No observed effect level
NLP	No-Longer Polymer
NOAEL	No Observed Adverse Effect Level
OECD	Organisation for Economic Cooperation and Development
PBT	Persistent Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	parts/million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulations concerning the International carriage of Dangerous Goods by Rail
SVHC	Substance of Very High Concern
UVCB	substance of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bio-accumulative

Revision Indicators:

Section	Subject of change	Date	Version
15	Regulatory information: S-phrases	23.04.2007	1
6	Accidental release measures: Clean up procedures	25.05.2007	2
7	Storage and transport		

SAFETY DATA SHEET**MOL-LUB Ltd.**

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC

Trade name: **AdBlue[®] NO_x-reduction additive**

Version: 6 Latest revision: 31. 07. 2013 Date of issue: 26. 09. 2006 Page: 12/(12)

Section	Subject of change	Date	Version
1-16	Regulatory information, other corrections	20.07.2007	3
1-16	Regulatory information, other corrections	20.05.2010	4
13	Disposal considerations	04.08.2010	5
1-16	Revision modification according to 453/2010/EC and 1272/2008/EC	31.07.2013	6